EMS-029 Separate Guidelines (20)

Created: 1 September 2009 (1st Edition) Revised: 1 February 2010 (2nd Edition) Revised: 20 April 2010 (3rd Edition) Revised: 20 June 2010 (4th Edition) Revised: 1 October 2010 (5th Edition) Revised: 20November 2010 (6th Edition) Revised: 20 January 2010 (7th Edition) Revised: 30 June 2011 (8th Edition) Revised: 15 January 2012 (9th Edition) Revised: 3 September 2012 (10th Edition) Revised: 5 June 2013 (11th Edition) Revised: 15 July 2016 (12th Edition) Revised: 4 November 2016 (13th Edition) Revised: 1 July 2017 (14th Edition) Revised: 1 August 2018 (15th Edition) Revised: 31 July 2019 (16th Edition) Revised: 20 December 2019 (17th Edition) Revised: 1 July 2021 (18th Edition) Revised: 6 May 2022 (19th Edition) Revised: 8 September 2023 (20th Edition)

Guidelines for Prohibited and Controlled Chemical Substances 20th Edition

Revision History

	ion History		D. H. (24) D. L.
No.	Date	Reasons for Revisions	Details of Main Revisions
1	1 February 2010	Abolition of Directive 76/769/EEC Revisions to Regulation (EC) No. 1907/2006 (REACH Regulations) Annex X VII and addition of candidate list target substances Revisions to the Law Concerning the Examination and Regulation of Manufacture, etc. of Chemical Substances (Chemical Substances Control Law) Revisions to JIG	 Covering designation changed from 76/769/EEC to REACH Regulations Annex X VII and limit conditions added Prohibited substances and managed substances changed or added Related target laws and regulations changed Status notification changed
2	20 April 2010	 Materials added to candidate list announced in Section 2 LEDs added as an exception to RoHS 	 Residual amounts of materials in Section 2 announcement added Exception conditions added for cadmium included in LEDs
3	20 June 2010	 Materials added to candidate list announced in Section 3 Flow of materials in Section 2 announcement added Changes to filling out status notifications 	 8 substances in Section 3 announcement added Sodium dichromate, dehydrate added Method of filling out status notifications changed and publicised
4	1 October 2010	Status notifications abolished as a result of introduction of JAMP AIS	• Investigation methods in Chapter 4 changed and investigation details in Chapter 5 changed to points to note for AIS entry
5	20 November 2010	 It puts it together on the number of RoHS exclusion of application. RoHS exclusion of application was announced. 	 The number of RoHS exclusion of application is changed. Application exclusion was changed by 2010/571/ EU on 24 September 2010.
6	20 January 2010	Materials added to candidate list announced in Section 4	Residual amounts of materials in Section 4 announcement added
7	30 June 2011	Materials added to candidate list announced in Section 5	Residual amounts of materials in Section 5 announcement added
8	15 December 2011	 Enforcement of RoHS Directive Materials added to candidate list announced in Section 6 The exception for application is added in RoHS Directive. 	 RoHS Directive is revised and it enforces it on July 1, 2011. Residual amounts of materials in Section 6 announcement added Two exceptions for application were added in RoHS Directive. Add to prohibit Dibutyltin compounds and Dioctyltin compounds
9	3 September 2012	 Add the contents to the lack of explanation of DBT and DOT. The view of permissible quantity for the prohibited substances is changed Materials added to candidate list announced in Section 7 	 Dimethyl fumarate additional Add the threshold of DBT and DOT. Permissible quantity for the prohibited substances is changed from 'the threshold or less' to 'less than the threshold' Residual amounts of materials in Section 7 announcement added
10	5 June 2013	Materials added to candidate list announced in Section 8	Residual amounts of materials in Section 8 announcement added
11	15 July 2016	Candidate List deletion	Candidate List deletion
12	4 November 2016	Materials added to RoHS	Materials added to RoHS
13	1 July 2017	RoHS exclusion update. Correction of typographical error	 RoHS exclusion update. Correction of an acronym of a prohibited substance No.9 Correction of names of directives, laws, and regulations
14	1 August 2018	 Change of information transfer scheme for chemical management Update of RoHS exemptions 	Change "AIS" to "chemSHERPA" Renew the table of RoHS Exemption

No.	Date	Reasons for Revisions	Details of Main Revisions
15	31 July 2019	Update of RoHS exemptions	Renew the table of RoHS Exemption
	·	• Adaptation to other categories of EEE in RoHS than category 3	
		Adaptation to the new POPs under the Stockholm Convention	Renew the table of prohibited substances
16	20 December 2019	In case of 2 year-exemption for equipment used to manufacture semi-conductors, PFOA is still used. Therefore it is difficult to conform to "None intentionally added".	Change the criteria "None intentionally added" in the "Threshold value" column of No.34 "Perfluorooctanoic acid (PFOA), its salts and PFOA related compounds" on the table of 6.2), "List of prohibited substances", into the criteria complying to PEACH regulation.
17	1 July 2021	Adaption for 5 PBT chemicals of TSCA	complying to REACH regulation. Add 5 PBT chemicals of TSCA to the table of prohibited substances.
18	6 May 2022	Update of RoHS exemptions	Renew the table of RoHS Exemption
19	8 September 2023	Update of RoHS exemptions	Renew the table of RoHS Exemption

1. Purpose

These Guidelines have been created in order to stipulate the chemical substances which are the objects of standards for control of components which affect the environment, and also to define inspection methods for such chemical substances.

In order to manufacture products which do not harm the environment, the AIPHONE Group has established standards with respect to chemical substances which may be contained in the components and materials used, and these standards specify chemical substances which are either prohibited from use or which must be properly controlled. The Group controls toxic chemical substances based on these regulations, and strictly observes relevant laws and promotes the protection of human health and regeneration of the environment, and promotes designs which give consideration to protecting the environment.

2. Scope of application

These Guidelines apply to all items such as parts, raw materials and packaging materials procured by the AIPHONE Group which are required for the manufacturing of the Group's products.

3. Subjects to investigation

Prohibited substances and substances to be controlled are. Details of them are described in the upcoming section 6. and 7. respectively.

4. Investigation methods

- 1) The adoption of a new part only
 - For registration of a new part, "Status Report Use Prohibited Substances" is required. In case that RoHS exemption is applicable, fill in the form with its exemption symbol.
 - Submit its "EU-RoHS Declaration of Conformity" accompanied by its Specification or Approved Sample Inspection Sheet

2) Investigation using chemSHERPA

- •Enter details of chemical substances to the data entry support tool, chemSHERPA, while referring its documents and manuals available on the website.
 - * The latest version of each documents and manuals are available for download on the following URL

Documents: https://chemsherpa.net/chemSHERPA/doc/

Manuals : https://chemsherpa.net/chemSHERPA/tool/

- 3) Registration with the Environment Information System
 - If you are registered with the Environment Information System of the AIPHONE Group, You should register the required data in chemSHERPA format.
 - · If you are not, you should attach the required data in chemSHERPA format to the e-mail to the person in charge.

5. Pay attention when you fill in the chemSHERPA format

- 1) In case that RoHS exemption is applicable, fill in the form with its exemption symbol.
 - * For RoHS exemption symbols, you can refer to the "chemSHERPA Application List" included in the "Data entry support tool" files you downloaded from the website.
- 2) If there is some additional information such as restriction due to REACH Annex X VII applications, remark them down in the Remarks column.

6. Prohibited substances

- 1) What are prohibited substances?
 - Prohibited substances are basically determined as being chemical substances which have been specified as
 prohibited by JIG, REACH Regulations Annex X VII and the Law Concerning the Examination and
 Regulation of Manufacture, etc. of Chemical Substances.
 - They include substances which are prohibited from being included in products, and substances which are prohibited from use in manufacturing processes.
 - They include substances for which some conditions are attached (such as threshold values and application exceptions).

Note: Substances which are not contained in this list shall also be regarded as prohibited substances if specified as such by law, convention, directives or global policy.

2) <u>List of prohibited substances</u>

List of	prohibited substances				
No.	Name of substance		Threshold value	Example of applicable regulation	
1	Cadmium and cadmium compounds	*1	100ppm in homogeneous materials	RoHS directive REACH Regulation Annex X VII 94/62/EC directive on packaging	
2	Hexavalent chromium compounds	*1		and packaging waste United States heavy metal	
3	Lead and lead compounds	*1 *2		packaging laws Proposition 65 for lead and lead	
4	Mercury and mercury compounds	*1		compounds	
5	Polybrominated biphenyls (PBBs)		1,000ppm in		
6	Polybrominated diphenyl ethers (PBDEs)		homogeneous materials		
7	Bis(2-ethylhexyl) phthalate (DEHP)		materiais	RoHS directive	
8	Butyl benzyl phthalate (BBP)	*7		Koris directive	
9	Dibutyl phthalate (DBP)	. /			
10	Diisobutyl phthalate (DIBP)				
11	Bis-tributylin oxide (TBTO)			Chemical Substances Control Law (Section 1)	
12	Tributylins (TBTs), triphenyltins (TPTs)			Chemical Substances Control Law (Section 2)	
13	Polychlorinated biphenyls (PCBs)			Chemical Substances Control Law (Section 1) REACH Regulation Annex X VII Chemical Substances Control Law (Section 1)	
14	Polychlorinated naphthalene (with 3 or more chlorine atoms)				
15	Short chain chlorinated paraffins (C10—C13)				
16	Asbestos			REACH Regulation Annex X VII	
17	Azo dyes and pigments	*3			
18	Radioactive materials			Regulations for nuclear reactors, etc.	
19	Ozone layer-depleting substances		None intentionally	Montreal Protocol, laws relating to protection of the ozone layer	
20	Perfluorooctane sulfonates and their salts	erfluorooctane sulfonates and their salts		Chemical Substances Control Law (Section 1) REACH Regulation Annex X VII	
21	PFOSF Perfluorooctane sulfonyl fluoride				
22	Hexabromobiphenyl (HBB)				
23	Tetrabromodiphenyl ether				
24	Pentabromodiphenyl ether			Chemical Substances Control	
25	Hexabromodiphenyl ether			Law (Section 1)	
26	Heptabromodiphenyl ether				
27	Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis (1,1-dimethylethyl) (CAS No. 3846-71-7)				
28	Polychlorinated terphenyls (PCTs)				
29	Nickel				
30	Dibutyltin compounds (DBT)	*5	1,000 ppm	REACH Regulation Annex X VII	
31	Dioctyltin compounds (DOT)	*6	(tin conversion)		
32	Dimethylfumarate (DMF)	*4	0.1 ppm		
33	Dicofol		None intentionally added		
34	Perfluorooctanoic acid (PFOA), its salts and PFOA-related compounds		PFOA and its salts: less than 25ppb PFOA-related: less than 1,000ppb	Stockholm Convention Annex A	
35	Decabromodiphenyl ether (DecaBDE)		None intentionally added	TSCA Article 6(h) 5 PBT chemicals	

36	Phenol, isopropylated phosphate(3:1) (PIP(3:1))	None intentionally added	TSCA Article 6(h) 5 PBT chemicals
37	2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP)	None intentionally added	TSCA Article 6(h) 5 PBT chemicals
38	Hexachlorobutadiene (HCBD)	None intentionally added	TSCA Article 6(h) 5 PBT chemicals
39	Pentachlorothiophenol (PCTP)	None intentionally added	TSCA Article 6(h) 5 PBT chemicals

^{*1:} According to 94/62/EC, the combined concentration of all four substances in the group must not exceed 100 ppm.

*3: Applications for azo dyes and pigments formed from special amines are limited to cases where they contact the skin directly and for long periods of time. Special amines are aromatic amine compounds as specified in 22 below.

No.	Name of Substance	CAS No.
1	Biphenyl-4-ylamine	92-67-1
2	Benzidine	92-87-5
3	4-chloro-2-toluidine	95-69-2
4	2-naphthylamine	91-59-8
5	aminoazotoluene	97-56-3
6	5-nitro-o-toluidine	99-55-8
7	Chloroaniline	106-47-8
8	2,4-methoxy-m-phenylenediamine	615-05-4
9	4,4'-methylenedianiline	101-77-9
10	3,3'-dichlorobenzidine	91-94-1
11	3,3'-dimethoxybenzidine	119-90-4
12	3,3'-dimethylbenzidine	119-93-7
13	4,4'-methylenedi-o-toluidine	838-88-0
14	6-methoxy-m-toluidine	120-71-8
15	4,4'-methylene-bis(2-chloroaniline)	101-14-4
16	4,4'-oxydianiline	101-80-4
17	4,4'-thiodianiline	139-65-1
18	o-toluidine	95-53-4
19	4-methyl-m-phenylenediamine	95-80-7
20	2,4,5-trimethylaniline	137-17-7
21	o-anisidine	90-04-0
22	4-amino azobenzene	60-09-3

^{*4:} None intentionally added. Content is less than 0.1ppm

- textile articles intended to come into contact with the skin,
- gloves,
- footwear or part of footwear intended to come into contact with the skin,
- wall and floor coverings,
- childcare articles,
- female hygiene products,
- nappies,
- two-component room temperature vulcanization moulding kits (RTV-2 moulding kits).

^{*2:} According to Proposition 65, electrical wires, cables or cords which are coated with thermosetting resins or thermoplastic resins must not have concentrations exceeding 300 ppm in the surface sheath layer.

^{*5:}Dibutyltin compounds (DBT)

⁽a) Dibutyltin (DBT) compounds shall not be used after 1 January 2012 in mixtures and articles for supply to the general public where the concentration in the mixture or the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin.

^{*6:} Dioctyltin compounds (DOT)

⁽a)Dioctyltin (DOT) compounds shall not be used after 1 January 2012 in the following articles for supply to, or use by, the general public, where the concentration in the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin:

7. Substances to be controlled

- 1) What are substances to be controlled?
 - Managed substances are basically SVHCs which are contained in the candidate list of REACH Regulations ((EC) No. 1907/2006).
- 2) List of managed substances
 - Threshold value: 1,000 ppm (article specific gravity)

For reference: European Chemical Agency's website http://echa.europa.eu/web/guest/home

8. Related laws and regulations

- 1) 2011/65/EU (RoHS(II) directive), (EU)2015/863 (Commission delegated directive on amending Annex II)
 - European Union directive which specifies limits on the usage of specific organic substances which are included in electrical and electronic equipment (EEE)
 - · Target substances: Lead, mercury, cadmium, hexavalent chromium, PBB, PBDE, DEHP, BBP, DBP, DIBP
 - Threshold values: 100 ppm for cadmium, 1,000 ppm for all other substances (specific gravity for homogenous materials)
 - · Categories of EEE covered by this Directive :ANNEX I

EEE being applied RoHS directive would be categorized into 11 categories. And in those categories, "category 8" and "category 9" are respectively divided into 2 divisions more. According to the difference of the Category number, the expiring date of exemptions describing later is different. Categories of EEE regulated in ANNEX I of RoHS directive is shown as following table. In the case of selling wide variety of products in Europe was assumed, have to be careful of the expiring date of exemptions because applicable category number would be different by each category of Aiphone products.

Category	Categories of EEE	Categories of Aiphone products	The date RoHS(II) directive
number			enforced
1	Large household appliances.		January 3, 2013
2	Small household appliances.		
3	IT and telecommunications equipment.	Intercom equipment	
4	Consumer equipment.		
5	Lighting equipment.		
6	Electrical and electronic tools.		
7	Toys, leisure, and sports equipment.		
8	In vitro diagnostic medical devices		July 22, 2016
	Medical devices other than in vitro diagnostic medical devices.	Nurse call systems	July 22, 2014
9	Industrial monitoring and control instruments.		July 22, 2017
	Monitoring and control instruments other than industrial monitoring and control instruments.	Electric lock door control devices	July 22, 2014
10	Automatic dispensers.		January 3, 2013
11	Other EEE not covered by any of the		July 22, 2019
	categories above.		

· Exceptions for applications: ANNEX III

The expiring dates of exemptions are different by the category of EEE. There are 11 categories for EEE, but considering the expiring date, they would be sorted into 4 groups as follows. The 1st group consists of the category 1 to 7 and 10, and the 2nd group consists of the category 8 and 9 other than vitro diagnostic medical devices and industrial monitoring and control instruments. And the 3rd group consists of vitro diagnostic medical devices of the category 8 and industrial monitoring and control instruments of the category 9, and the last group consists of category 11. Because we don't product and sell any EEE of the 3rd group above, then, we will show exemptions and expiring dates in the table below other than 3rd group.

No.	Exemption	Scope and dates of applicability		
	·	For cat.1 to 7 or 10 For cat.8 or 9 For cat.11		
		- Intercom (other than in - Cable		
		equipment (cat.3) vitro or industrial		
		use)		
		- Nurse call		
		systems (cat.8) - Electric lock door		
		control devices		
		(cat.9)		
Mercury in	single capped (compact) fluorescent lamps not e	,		
1(a)	For general lighting purposes < 30 W: :	Expired on 24 February 2023		
` ´	2.5mg	·		
1(b)	For general lighting purposes >30 W and <50	Expired on 24 February 2023		
1(0)	W: 3.5 mg	Expired on 2 11 cordary 2023		
1(e)	For general lighting purposes ≥ 50 W and ←	Expired on 24 February 2023		
1(0)	150 W: 5 mg	Expired on 2 11 columny 2023		
1(d)	For general lighting purposes >150 W: 15mg	Expired on 24 February 2023		
1(e)	For general lighting purposes with circular or	Expired on 24 February 2023		
1(0)	square structural shape and tube diameter \(\leq\)	Expired on 24 reordary 2023		
	17 mm: 7 mg			
1(f)- I	For lamps designed to emit mainly light in the	Expires on 24 February 2027		
1(1)-1	ultraviolet spectrum: 5mg	Expires on 24 reducing 2027		
1(f)- II	For special purposes: 5 mg	Expires on 24 February 2025		
1(1)-11 1(g)	For gangral lighting purposes < 20 W with a	Expired on 24 August 2023		
* (5)	For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3.5 mg	Expired on 24 August 2023		
Moroury in	double-capped linear fluorescent lamps for gene	rol lighting purposes not exceeding (per lamp)		
$\frac{2(a)(1)}{2(a)(a)}$	Tri-band phosphor with normal lifetime and a	Expired on 24 February 2023		
=(a)(1)	tube diameter < 9 mm (e.g. T2): 4 mg	Expired on 24 February 2023		
2(a)(2)	Tri-band phosphor with normal lifetime and a	Expired on 24 February 2023		
2(a)(2)	tube diameter > 9 mm and < 17 mm (e.g. T5):	Expired on 24 reordary 2023		
	3 mg			
2(a)(3)	Tri band phosphor with normal lifetime and a	Expired on 24 February 2023		
2(u)(3)	tube diameter ≥ 17 mm and ≤ 28 mm (e.g.	Expired on 24 reordary 2023		
	To 2.5 mg			
2(a)(4)	Tri-band phosphor with normal lifetime and a-	Expired on 24 February 2023		
=(a)(1)	tube diameter > 28 mm (e.g. T12): 3.5 mg	Expired on 24 February 2023		
2(a)(5)	Tri band phosphor with long lifetime(>25,000	Expired on 24 February 2023		
2(u)(3)	h): 5 mg	Expired on 24 residuity 2023		
Mercury in	other fluorescent lamps not exceeding (per lamp)·		
2(b)(1)	Linear halophosphate lamps with tube	Expired on 13 April 2012		
2(0)(1)	diameter > 28 mm (e.g. T10 and T12): 10mg	Expired on 15 April 2012		
2(b)(2)	Non-linear halophosphate lamps (all	Expired on 13 April 2016		
2(0)(2)	diameters): 15 mg	Expired on 13 April 2016		
2(b)(3)	Non-linear tri-band phosphor lamps with tube	Expires on 24 February 2023: 10 mg may be used per		
3(0)(0)	diameter > 17 mm (e.g. T9) : 15 mg 10mg	lamp from 25 February 2023 until 2024 February 2025.		
2(b)(4)- I	Lamps for other general lighting and special	Expires on 24 February 2025		
2(0)(1) 1	purposes (e.g. induction lamps): 15 mg	Zipito on 2 i Tootum j 2020		
2(b)(4)- II	Lamps emitting mainly light in the ultraviolet	Expires on 24 February 2027		
2(0)(1) 11	spectrum: 15 mg	Zipito on 2 i Tootum j 2027		
2(b)(4)- III	•	Expires on 24 February 2027		
_(U)(1) III	Zinot Bone j rampo. 10 mg	Empires on Elitorium j Bosi		

No.	Exemption	Scope and dates of applicability			
	•	For cat.1 to 7 or 10		For cat.11	
		- Intercom	(other than in vitro	- Cable	
		equipment (cat.3)	or industrial use)		
			- Nurse call		
			systems (cat.8)		
			- Electric lock door		
			control devices		
			(cat.9)		
_	in cold cathode fluorescent lamps and external elec- not exceeding (per lamp):	ctrode fluorescent la	imps (CCFL and EE	CFL) for special	
3(a)	Short length ($\leq 500 \text{ mm}$): 3.5 mg	Expires on 24 Feb	ruary 2025		
3(b)	Medium length (> 500 mm and \leq 1 500 mm): 5 mg	Expires on 24 Feb	ruary 2025		
3(c)	Long length (> 1,500 mm): 13 mg	Expires on 24 Feb			
4(a)	Mercury in other low pressure discharge lamps	Expired on 24 Feb	ruary 2023		
(u)	(per lamp) : 15 mg	Expired on 211 co	1 dai y 2023		
4(a)- I	Mercury in low pressure non-phosphor coated	Expires on 24 Feb	ruary 2027		
()	discharge lamps, where the application requires	(Applies to Catego			
	the main range of the lamp-spectral output to	(
	be in the ultraviolet spectrum: up to 15 mg				
	mercury may be used per lamp				
	in High Pressure Sodium (vapour) lamps for gener	al lighting purposes	not exceeding (per	burner) in lamps	
	oved colour rendering index Ra > 80:	1			
4(b)	P ≤ 105 W: 16 mg		ruary 2027 (Applies		
	in High Pressure Sodium (vapour) lamps for gener	al lighting purposes	not exceeding (per	burner) in lamps	
with impr	roved colour rendering index Ra > 60: $\frac{P \le 155 \text{ W}: 30 \text{ mg}}{\text{M}}$	Erminad on 24 Fah	·m··········· 2022		
	155 W < P < 405 W: 40 mg	Expired on 24 Feb			
4(b)-II		Expired on 24 Feb	*		
4 (b) III	P > 405 W: 40 mg	Expired on 24 Feb			
	in other High Pressure Sodium (vapour) lamps for				
4(c)-I	$P \le 155 \text{ W}: 20 \text{ mg}$		ruary 2027 (Applies		
4(c)-II	$155 \text{ W} < P \le 405 \text{ W}: 25 \text{ mg}$		ruary 2027 (Applies		
4(c)-III	P > 405 W: 25 mg		ruary 2027 (Applies	s to Category 5)	
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV)	Expired on 13 Apr	ril 2015		
4(e)	Mercury in metal halide lamps (MH)	Expires on 24 Feb	ruary 2027 (Applies	s to Category 5)	
4(f)- I	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex		ruary 2025 (Applies	s to Category 5)	
4(f)- II	Mercury in high pressure mercury vapour lamps		ruary 2027 (Applies	s to Category 5)	
` '	used in projectors where an output \geq 2000 lumen ANSI is required	1	7 (11		
4(f)- III	Mercury in high pressure sodium vapour lamps used for horticulture lighting	Expires on 24 Feb	ruary 2027 (Applies	s to Category 5)	
4(f)- IV	Mercury in lamps emitting light in the ultraviolet spectrum	Expires on 24 Feb	ruary 2027 (Applies	s to Category 5)	
4(g)	Mercury in hand crafted luminous discharge-	Expired on 31 Dec	cember 2018		
-	tubes used for signs, decorative or architectural	-			
	and specialist lighting and light-artwork, where				
	the mercury content shall be limited as-				
	follows:(a)20 mg per electrode pair +0.3 mg				
	per tube length in em, but not more than 80 mg,				
	for outdoor applications exposed to				
	1				
5(a)	**	Evnired on 21	Evnired on 21	Evniras on 21	
J(a)	Lead in glass of calliductay tubes				
		Expires on 21	Expired on 21	Expires on 21	
5(b)	Lead in glass of fluorescent tubes not	EXDITES OIL Z I	EXTITUU OII Z.I		
5(b)	Lead in glass of fluorescent tubes not exceeding 0.2% by weight				
5(b)	Lead in glass of fluorescent tubes not exceeding 0.2% by weight	July 2016 Undergoing	July 2021	July 2024	
5(a)	temperatures below 20 °C; (b) 15 mg perelectrode pair + 0.24 mg per tube length in embut not more than 80 mg, for all other indoorapplications. Lead in glass of cathode ray tubes	Expired on 21 July 2016 Expires on 21	Expired on 21 July 2021 Expired on 21	Expires on 2 July 2024	

No.	Exemption	Scope and dates of applicability		
		For cat.1 to 7 or 10 - Intercom equipment (cat.3)	For cat.8 or 9 (other than in vitro or industrial use) - Nurse call systems (cat.8) - Electric lock door control devices (cat.9)	For cat.11 - Cable
6(a)	Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight	6(a)-I is applicable	Expires on 21 July 2021 Undergoing evaluation	Expires on 21 July 2024 Undergoing evaluation
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0.35% lead by weight and in batch hot dip gaivanised steel components containing up to 0.2% lead by weight	Expires on 21 July 2021 Undergoing evaluation	_	_
6(b)	Lead as an alloying element in aluminium containing up to 0.4% lead by weight	6(b)-I or 6(b)-II is applicable	Expires on 21 July 2021 Undergoing evaluation	Expires on 21 July 2024 Undergoing evaluation
6(b)-I	Lead as an allowing element in aluminium containing up to 0.4% lead by weight, provided it stems from lead-bearing aluminium scrap recycling	Expires on 21 July 2021 Undergoing evaluation	_	_
6(b)-II	Lead as an allowing element in aluminium for machining purposes with a lead content up to 0.4% by weight	Expires on 18 May 2021 Undergoing evaluation	_	_
6(c)	Copper alloy containing up to 4% lead by weight	Expires on 21 July 2021 Undergoing evaluation		Expires on 21 July 2024 Undergoing evaluation
7(a)	Lead in high melting temperature type solders (i.e.lead-based alloys containing 85% by weight or more lead)	Expires on 21 July Undergoing evalua		Expires on 21 July 2024 Undergoing evaluation
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	Expired on 20 July 2016	Expired on 21 July 2021	Expires on 21 July 2024
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Expires on 21 July 2021 Undergoing evaluation		Expires on 21 July 2024 Undergoing evaluation
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	Expires on 21 July 2021 Undergoing evaluation		Expires on 21 July 2024 Undergoing evaluation
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	May be used in spare parts for EEE placed on the market before 1 January 2013		_
7(e)-IV	Lead in PZT based dielectric ceramic materials- for capacitors being part of integrated circuits- or discrete semiconductors	Expired on 21 July 2021		Expires on 21 July 2024
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs	Expired on 1 Janu May be used in sp market before 1 Ja	are parts for EEE pl	aced on the

No.	Exemption	Scope	and dates of applic	cability
1,0.	Zacinpaon	For cat.1 to 7 or 10		For cat.11
		- Intercom	(other than in vitro	- Cable
		equipment (cat.3)	or industrial use)	
			- Nurse call systems	
			(cat.8) - Electric lock door	
			control devices	
			(cat.9)	
8(b)	Cadmium and its compounds in electrical	8(b)-I is	Expires on 21	Expires on 21
	contacts	applicable	July 2021	July 2024
			Undergoing	Undergoing
			evaluation	evaluation
8(b)-I	Cadmium and its compounds in electrical	Expires on 21	—	_
	contacts used in:	July 2021		
	- circuit breakers;	Undergoing		
	thermal sensing controls;thermal motor protectors (excluding hermetic	evaluation		
	thermal motor protectors);			
	- AC switches rated at:			
	-6A and more at 250V AC and more, or			
	- 12A and more at 125V AC and more,			
	- DC switches rated at 20A and more at 20A			
	and more at 18V DC and more, and			
	- switches for use at voltage supply frequency			
0	≥200 Hz.	P ' 1 ~	F : 1 01	E : 21
9	Hexavalent chromium as an anticorrosion agent	Expired on 5	Expired on 21	Expires on 21
	of the carbon steel cooling system in absorption	March 2020	July 2021	July 2024
	refrigerators up to 0.75 % by weight in the cooling solution			
9(b)	Lead in bearing shells and bushes for	Expired on 5	Expired on 21	Expires on 21
)(0)	refrigerant-containing compressors for heating,	July 2018	July 2021	July 2024
	ventilation, air conditioning and refrigeration			
	(HVACR) applications			
11(a)	Lead used in C-press compliant pin connector		are parts for EEE pl	aced on the
	systems	market before 24		
11(b)	Lead used in other than C-press compliant pin		are parts for EEE pl	aced on the
10	connector systems	market before 1 Ja	anuary 2013 Pare parts for EEE pl	
12	Lead as a coating material for the thermal conduction module C-ring	market before 24		aced on the
13(a)	Lead in white glasses used for optical	Expires on 21 July		Expires on 21
13(a)	applications			July 2024
	approximons	endergoing Evan		Undergoing
			<u></u>	evaluation
13(b)	Cadmium and lead in filter glasses and glasses	13(b)-I or II or	Expires on 21	Expires on 21
	used for reflectance standard	III is applicable	July 2021	July 2024
			Undergoing	Undergoing
100: -		F : 21	evaluation	evaluation
13(b)- I	Cadmium and lead in filter glasses and glasses	Expires on 21	—	-
	used for reflectance standards	July 2021 Undergoing		
		evaluation		
13(b)- I I	Cadmium striking optical filter glass types;	Expires on 21	_	_
13(U)- II	excluding applications falling under point 39 of	July 2021		
	this Annex	Undergoing		
		evaluation		
13(b)- Ⅲ	Cadmium and lead in glazes used for	Expires on 21	_	_
. ,	reflectance standards	July 2021		
		Undergoing		
		evaluation		
14	Lead in solders consisting of more than two	Expired on 1 Janu		1 4
	elements for the connection between the pins		are parts for EEE pl	aced on the
	and the package of microprocessors with a lead	market before 1 Ja	anuary 2011	
	content of more than 80% and less than 85% by weight			
	weight			

No.	Exemption	Scope	and dates of applic	ability
	x	For cat.1 to 7 or 10	For cat.8 or 9	For cat.11
		- Intercom	(other than in vitro	- Cable
		equipment (cat.3)	or industrial use)	
			- Nurse call systems (cat.8)	
			- Electric lock door	
			control devices	
			(cat.9)	
15	Lead in solders to complete a viable electrical	15(a) is	Expires on 21	Expires on 21
	connection between semiconductor die and carrier	applicable	July 2021	July 2024
	within integrated circuit flip chip packages		Undergoing	Undergoing
			evaluation	evaluation
15(a)	Lead in solders to complete a viable electrical	Expires on 21	_	-
	connection between the semiconductor die and	July 2021		
	carrier within integrated circuit flip chip packages where at least one of the following criteria applies:	Undergoing evaluation		
	- a semiconductor technology node of 90nm or	evaluation		
	larger;			
	- a single die of 300mm ² or larger in any			
	semiconductor technology nodes;			
	- stacked die packages with die of 300mm ² or			
	larger, or silicon interposers of 300mm ² or larger.			
16	Lead in linear incandescent lamps with silicate coated tubes	Expired on 1 Sept	ember 2013	
17	Lead halide as radiant agent in high intensity	Expired on 21	Expired on 21	Expires on 21
1 /	discharge (HID) lamps used for professional	July 2016	July 2021	July 2024
	reprography applications	July 2010	July 2021	July 2024
18(a)	Lead as activator in the fluorescent powder	Expired on 1 Janu	arv 2011	
10(u)	(1 % lead by weight or less) of discharge lamps	F	,	
	when used as speciality lamps for diazoprinting			
	reprography, lithography, insect traps,			
	photochemical and curing processes containing			
10/b)	phosphors such as SMS ((Sr,Ba)2MgSi2O7:Pb)	Expires on 21	Expires on 21	Expires on 21
18(b)	Lead as activator in the fluorescent powder (1% lead by weight or less) of discharge lamps	July 2021	July 2021	July 2024
	when used as sun tanning lamps containing	Undergoing	Undergoing	Undergoing
	phosphors such as BSP (BaSi2O5:Pb)	evaluation	evaluation	evaluation
18(b)-I	Lead as activator in the fluorescent powder	Applies to	Applies to	_
10(0) 1	(1% lead by weight or less) or discharge lamps	Category 5,	Category 8,	
	containing phosphors such as BSP	Expires on 21	Expires on 21	
	(BaSi2O5:Pb) when used in medical	July 2021	July 2021	
	phototherapy equipment	Undergoing	Undergoing	
		evaluation	evaluation	
19	Lead with PbBiSn-Hg and PbInSn-Hg in	Expired on 1 June	2011	
	specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very			
	compact energy saving lamps (ESL)			
20	Lead oxide in glass used for bonding front and	Expired on 1 June	2011	
	rear substrates of flat fluorescent lamps used			
	for Liquid Crystal Displays (LCDs)			
21	Lead and cadmium in printing inks for the	21(a) or 21(b) or	Expired on 21	Expires on 21
	application of enamels on glasses, such as	21(c) is	July 2021	July 2024
01()	borosilicate and soda lime glasses	applicable		
21(a)	Cadmium when used in colour printed glass to	Except covered	_	_
	provide filtering functions, used as a component in lighting applications installed in	by 21(b) or 39 Expired on 21		
	displays and control panels of EEE	July 2021		
21(b)	Cadmium in printing inks for the application of	Except covered	_	_
21(0)	enamels on glasses, such as borosilicate and	by 21(a) or 39		
	soda lime glasses	Expired on 21		
	soda lime glasses	Expired on 21 July 2021		
21(e)	soda lime glasses Lead in printing inks for the application of	July 2021 Expired on 21	_	—

No.	Exemption	Scope and dates of applicability		
		For cat.1 to 7 or 10 For cat.8 or 9 For cat.11		
		- Intercom	(other than in vitro	- Cable
		equipment (cat.3)	or industrial use)	
			-Nurse call systems	
			(cat.8)	
			- Electric lock door	
			control devices	
22	Y 1: 0': 1 CC' : 1	36 1 1:	(cat.9)	1 1 1
23	Lead in finishes of fine pitch components other		are parts for EEE pla	aced on the marke
	than connectors with a pitch of 0.65 mm and	before 24 Septemb	er 2010	
2.4	less	E	2021	E
24	Lead in solders for the soldering to machined	Expires on 21 July		Expires on 21
	through hole discoidal and planar array ceramic	Undergoing evalua	ation	July 2024
25	multilayer capacitors	E' 1 21	E' 1 21	E
25	Lead oxide in surface conduction electron	Expired on 21	Expired on 21	Expires on 21
	emitter displays (SED) used in structural	July 2016	July 2021	July 2024
	elements, notably in the seal frit and frit ring			
26	Lead-oxide in the glass envelope of black light	Expired on 1 June	2011	
	blue lamps			
27	Lead alloys as solder for transducers used in-	Expired on 24 Sep	tember 2010	
	high powered (designated to operate for-			
	several hours at acoustic power levels of 125			
	db SPL and above) loudspeakers			
29	Lead bound in crystal glass as defined in	Expires on 21	Expired on 21	Expires on 21
	Annex I (Categories 1, 2, 3 and 4) of Council	July 2021	July 2021	July 2024
	Directive 69/493/EEC	Undergoing		Undergoing
		evaluation		evaluation
30	Cadmium alloys as electrical/mechanical solder	Expired on 21	Expired on 21	Expires on 21
	joints to electrical conductors located directly	July 2016	July 2021	July 2024
	on the voice coil in transducers used in		,	Undergoing
	high-powered loudspeakers with sound			evaluation
	pressure levels of 100 dB(A) and more			Cvaraation
31	Lead in soldering materials in mercury free flat	Expired on 21	Expired on 21	Expires on 21
<i>3</i> 1	fluorescent lamps (which e.g. are used for	July 2016	July 2021	July 2024
	liquid crystal displays, design or industrial	July 2010	July 2021	July 2024
	lighting)			
32	Lead oxide in seal frit used for making window	Expires on 21 July	, 2021	Expires on 21
32	assemblies for Argon and Krypton laser tubes			July 2024
22		Undergoing evalua		
33	Lead in solders for the soldering of thin copper	Expired on 21	Expired on 21	Expires on 21
	wires of 100 μm diameter and less in power	July 2016	July 2021	July 2024
2.4	transformers	T	2021	Б
34	Lead in cermet-based trimmer potentiometer	Expires on 21 July		Expires on 21
	elements	Undergoing evaluation		July 2024
				Undergoing
2.6	36 1	n	2010	evaluation
36	Mercury used as a cathode sputtering inhibitor	Expired on 1 July	2010	
	in DC plasma displays with a content up to 30			
25	mg per display		2021	
37	Lead in the plating layer of high voltage diodes	Expired on 21 July	7 2021	Expires on 21
	on the basis of a zinc borate glass body		<u> </u>	July 2024
38	Cadmium and cadmium oxide in thick film	Expired on 21	Expired on 21	Expires on 21
	pastes used on aluminium bonded beryllium	July 2016	July 2021	July 2024
	oxide			
39	Cadmium in colour converting II-VI LEDs(<	Expired for all cat	egories on 20 Nover	nber 2018
	10 μg Cd per mm 2 of light-emitting area) for			
	use in solid state illumination or display			
	systems			
39(a)	Cadmium selenide in downshifting	Expires for all cate	egories on 31 Octobe	er 2019
- \/	cadmium-based semiconductor nanocrystal	Undergoing evalua		= = = = = = = = = = = = = = = = = = =
	quantum dots for use in display lighting			
	applications ($< 0.2 \mu g \text{ Cd per mm2 of display}$			
	applications (< 0.2 μ g Cd per mm2 of display	1		
	screen area)			

No.	Exemption	Scope and dates of applicability		
		For cat.1 to 7 or 10 - Intercom equipment (cat.3)		For cat.11
44	Lead in solders and termination finishers of electrical and electronic components and finishes of printed circuit boards used inignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankease or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European-Parliament and of the Council.	Expired on 31 March 2022	Expired on 21 July 2021	Expired on 31 March 2022
42	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: - with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.	_	_	Applies only for category 11 except covered by 6(c) Expires on 21 July 2024 Undergoing evaluation

Regulation (EC) No. 1907/2006(REACH Regulation)

- European regulation concerning the registration, evaluation, authorisation and restriction of chemicals
- Substances in candidate list: Threshold 1,000 ppm
- Annex X VII: Limited substance groups (105 substance groups). Limitation conditions apply, and they are listed below.

	below.		Limitation Con Iti
No.	Name of Substance	Α.	Limitation Conditions
1	Polychlorinated terphenyls (PCTs) CAS№ 61788-33-8	♦	The placing on the market and use of preparations, including waste oils, with a PCT content higher than 50 mg/kg (0,005 % by weight) shall be prohibited
6	Asbestos fibres (a) Crocidolite CAS No 12001-28-4 (b) Amosite CAS No 12172-73-5 (c) Anthophyllite CAS No 77536-67-5 (d) Actinolite CAS No 77536-66-4 (e) Tremolite CAS No 77536-68-6 (f) Chrysotile CAS No 12001-29-5 CAS No 132207-32-0	*	The placing on the market and use of these fibres and of articles containing these fibres added intentionally shall be prohibited. Member States may except the placing on the market and use of diaphragms containing chrysotile (point (f)) for existing electrolysis installations The use of installations existing prior to 1 January 2005 or the use of molded products containing asbestos fibres shall be permissible until disposed of or until they reach the end of their service life.
27	Nickel and nickel compounds CAS No 7440-02-0 EC No 231-111-4	♦	Shall not be used in all post assemblies which are inserted into pierced ears and other pierced parts of the human body Shall not be used in articles such as the following which are intended to come into direct and prolonged contact with the skin if the rate of nickel release from such articles exceeds 0.5 μg/cm2/week: • Earrings, necklaces, anklets, finger rings,, bracelets, wristwatches, clothing zippers, rivets and metal marks Use shall not be allowed even if the article's coating does not contain nickel but the rate of nickel release from such article exceeds 0.5 μg/cm²/week. Usage shall be allowed if the rate of nickel release from such article is less than 0.2 μg/cm²/week (migration limit).
42	Alkanes, C 10 -C 13 , chloro (shortchain chlorinated paraffins)(SCCPs) CAS No 85535-84-8 EC No 287-476-5		Shall not be placed on the market for use as substances or as constituents of other substances or preparations in concentrations higher than 1 %: • in metalworking; • for fat liquoring of leather.
43	Azocolourants and Azodyes	*	Azodyes shall not be used in textile and leather articles which may come into direct and prolonged contact with the human skin or oral cavity, such as: • Clothing, bedding, towels, hairpieces, wigs, hats, nappies and other sanitary items, sleeping bags, footwear, gloves, wristwatch bands, straps, handbags, purses/wallets, chair covers, briefcases, purses worn round the neck • Textile or leather toys and toys which include textile or leather garments • Yarn and fabrics intended for use by the final consumer Azodyes shall not be placed on the market or used for colouring textile and leather articles as a substance or constituent of preparations in concentrations higher than 0,1 % by mass.

- 3) 94/62/EC Packaging and packing waste directive
 - · Directive from European council regarding packaging materials and packaging waste
 - Target substances: Lead, mercury, cadmium, hexavalent chromium
 - Threshold values: Combined concentration of all four substances must be 100 ppm or less
- 4) The Model Toxics in Packaging Legislation
 - The concentration of heavy metals used in packaging is restricted to 100 ppm or less from commencement until the 4th year.
 - Introduced in 18 American states
- 5) Law concerning the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.(Chemical Substances Control Law)
 - A law concerning the manufacturing, importing and use of new substances, which establishes systems for examining whether such materials can be separated out with difficulty or not.
 - Section 1 designated chemical substances: Limiting and reporting on manufacturing, importing and use, duty to comply with standards, duty to display relevant data
 - Section 2 designated substances: Reporting on manufacturing, importing and use, duty to display relevant data

• Applications where chemical substances may be used

Name of Substance	Application
PFOS and its salts	Manufacture of etching agents (Use is limited to the manufacturing of compound semiconductors for piezoelectric filters and wireless equipment which can receive electromagnetic waves at 3 MHz or higher.)
	2) Manufacture of semiconductor resists
	3) Manufacture of commercial-use photographic films

· Products where Section 1 chemical substances must be used for compliance with technological standards

Name of Substance	Application	
PEOG. 11: Is	Etching agents (Use is limited to the manufacturing of compound semiconductors for piezoelectric filters and wireless equipment which can receive electromagnetic waves at 3 MHz or higher.)	
PFOS and its salts	2) Semiconductor resists	
	3) Commercial-use photographic films	
	(* For the present time, this covers commercial-use photographic films and fire	
	extinguishing agents for fire extinguishers and foam fire extinguishing agents.)	

- 6) Montreal Protocol on Substances that Deplete the Ozone Layer
 - Regulations regarding manufacturing volumes and consumption volumes for designated substances which damage the ozone layer.
- 7) Act on the Regulation of Nuclear Source Material, Nuclear Fuel Material and Reactors
 - For the peaceful use of radioactive materials and fuels, adherence to planned applications, prevention of disasters, and public safety
 - · Reporting on the usage of each designated material
- 8) The Law Concerning the Protection of the Ozone Layer Through the Control of Specified Substances and Other Measures
 - Established to provide limits on the manufacture of designated substances, controls on discharge and rationalization of use.
- 9) California Proposition 65
 - The Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) is a California state law that has been in effect since 1986
 - This state law regulates warning labelling and discharging of toxic substances that cause cancer or birth defects or other reproductive harm.